ENOC LUBRICANTS Version No. 1 Revision Date Authorisation Date 15/12/2011

Material Safety Data Sheet

Fax

971 4 3134616

Product Name ENOC KRASOUS BMS 1 GREASE

Product Code 225003

1. IDENTIFICATION OF SUBSTANCE/PREPARATION AND COMPANY

 Product Name
 ENOC KRASOUS BMS GREASE

 Consistency
 NLGI NO 1

 Application
 INDUSTRIAL GREASE

 Company Identification
 ENOC LUBRICANTS

 ENOC Com plex, Sheikh Rashid Road,
 P.O. Box: 6442, Dubai

 Telephone
 971 4 3374400

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION		d with mineral base oil BS 150 CAS 64742-65-0 at 85.4% with e concentrate at 14.6%.
Chemical nature:	Petroleum derived severely refined mineral base product in which the polycyclic aromatic hydrocarbons (PCA or PAH) content measured by IP 346 is above 3%.	
Substances contributing to haz	zards:	None to our knowledge in normal use.
Impurities contributing to hazards:		None to our knowledge.

3. HAZARDS IDENTIFIC ATION

According to experience the product is considered to be harmless to health if handled correctly.

4. FIRST AID MEASURES

General InformationRemove contaminated clothing immediately, to be disposed of or washed before reuse.InhalationIf inhaled, provide fresh air, warmth, rest and medical advice if necessary.Skin ContactClean areas of skin affected with soap and copious water. If necessary seek medical advice.Eye ContactIn case of contact with eyes, rinse immediately with plenty of water until irritation subsides.IngestionAllow the patient to vomit on his own accord. Give copious water to drink and seek
medical help if necessary.

ENOC LUBRICANTS Version No. 1 Revision Date Authorisation Date 15/12/2011

Material Safety Data Sheet

Product Name ENOC KRASOUS BMS 1 GREASE

Product Code 225003

5. FIRE FIGHTING MEASURES

Extinguishing Media	To suit local surroundings (eg water spray, carbon dioxide foam, chemical powder).
Special Exposure Hazard	Decomposition products released in a fire should be considered as probably harmful if inhaled (see Stability and Reactivity section)
Protective Equipment	Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Methods for Cleaning Up	Remove all sources of ignition. Take up with absorbent material, eg sand, sawdust and	
	dispose of as prescribed. Do not allow to get into waste water or waterways; if this occurs,	
	inform the relevant authority at once.	

7. HANDLING & STORAGE

Advice on Safe Handling	Handle in accordance with good hygiene and safety practice. Avoid prolonged temperatures $> 45^{\circ}$ C and heat sources of $> 121^{\circ}$ C.
Advice on Protection against Fire & Explosion	Keep away from sources of ignition - NO SMOKING!
Storage Conditions	Ensure adequate ventilation of storage area. Keep container tightly closed, cool and dry.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Controls	 Monitoring of the workplace should be considered in accordance with EH40 (or equivalent) Controls. LTEL (8 hour TWA): 5 mg/m³ (EH40, 1998) STEL (15 min): 10 mg/m³ (EH40, 1998) OES data for oil mist, mineral In addition the Reciprocal Calculation Procedure (RCP) for hydrocarbons should be considered (EH40, 1998)
Engineering Controls Personal Protection	Ensure adequate ventilation of working area eg Local Exhaust Ventilation. Observe normal safety stand ards for handling chemicals. Avoid inhalation of vapour. Avoid contact with skin and eyes. Wear personal protective equipment appropriate for the task eg gloves, safety goggles, respirators (eg if ventilation is inadequate), appropriate overalls.

ENOC LUBRICANTS Version No. 1 Revision Date Authorisation Date 15/12/2011

Material Safety Data Sheet

Product Name ENOC KRASOUS BMS 1 GREASE

Product Code 225003

9. PHYSICAL & CHEMICAL PROPERTIES

Specific Gravity	N/A
Auto-ignition Temperature	N/A
Vapour Pressure	N/A
Toxicity	N/A
Relative Density	N/A
Boiling Point	From 430°C
Pour Point	- 205°C (ASTM D97)
Flammability	N/A
Flash Point	N/A
рН	N/A
Solubility	In water: negligible
Description	Smooth and Buttery texture with petroleum like odour.

10. STABILITY & REACTIVITY

Stability	N/A
Thermal Decomposition	Not determined
Conditions To Avoid	N/A
Material To Avoid	N/A
Hazardous Reactions	The product does not undergo hazardous polymerisation.
Hazardous Decomposition Products	Oxides of carbon, aldehydes, ketones, and small amounts of hydrogen sulphide, alkyl mercaptans, and sulphides. Following combustion, oxides of nitrogen, phosphorus and sulphur will be released.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity	No acute toxicological data are available. $LD_{50}rat(oral){\rm :}N/A$
	LD ₅₀ rat (i.v.): N/A
Dermal Compatibility	N/A
Mucous Membrane Compatibility	N/A

ENOC LUBRICANTS Version No. 1 Revision Date Authorisation Date 15/ 12/2011

Material Safety Data Sheet

Product Name ENOC KRASOUS BMS 1 GREASE

Product Code 225003

12. ECOLOGICAL INFORMATION

Ecotoxicology	Ecotoxicological data are not available.
Further Ecological Information	N/A
Further Information	The product must not enter ground or waste water. If this occurs, inform the local authority at once.

13. DISPOSAL CONSIDERATIONS

Advice on Disposal	In accordance with national and local authority regulations, eg special waste or incineration after consultation with the operators.
Contaminated Packaging	Treat emptied containers in the same way as the product, or if possible wash out thoroughly and recycle.

14. TRANSPORT INFORMATION

Transportation Measures Not determined

15. REGULATORY INFORMATION	
Classification & Labelling	Product is not classified in accordance with the Chemical (Hazard Information and Packaging for Supply Regulations (CHIP 97).
Risk Phrases	N/A
Safety Phrases	N/A

ENOC LUBRICANTS Version No. 1 Revision Date Authorisation Date 15/ 12/ 2011

Material Safety Data Sheet

Product Name ENOC KRASOUS BMS 1 GREASE

Product Code 225003

16. OTHER INFORMATION

Date of Issue

15/12/2011

General Summary

Alkali content (as Lithium hydroxide (LiOH)): approx. 0.033% mass.

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. It should not be construed as guaranteeing specific properties.