ENOC LUBRICANTS

Version No. 1

Revision Date
Authorisation Date 15/12/2011

Material Safety Data Sheet

Product Name ENOC KRASOUS BMS 2 GREASE

Product Code 225002

1. IDENTIFICATION OF SUBSTANCE/PREPARATION AND COMPANY

Product Name ENOC KRASOUS BMS GREASE

Consistency NLGI NO 2

Application INDUSTRIAL GREASE Company Identification ENOC LUBRICANTS

ENOC Complex, Sheikh Rashid Road,

P.O. Box: 6442, Dubai

Telephone 971 4 3374400 Fax 971 4 3134616

2. COMPOSITION/INFORMATION ON INGREDIENTS

COMPOSITION Blended with mineral base oil BS 150 CAS 64742-65-0 at 83.2% with

additive concentrate at 16.8%.

Chemical nature: Petroleum derived severely refined mineral base product in which the polycyclic

aromatic hydrocarbons (PCA or PAH) content measured by IP 346 is above 3%.

Substances contributing to hazards: None to our knowledge in normal use.

Impurities contributing to hazards: None to our knowledge.

3. HAZARDS IDENTIFIC ATION

According to experience the product is considered to be harmless to health if handled correctly.

4. FIRST AID MEASURES

General Information Remove contaminated clothing immediately, to be disposed of or washed before reuse.

Inhalation If inhaled, provide fresh air, warmth, rest and medical advice if necessary.

Skin ContactClean areas of skin affected with soap and copious water. If necessary seek medical advice. **Eye Contact**In case of contact with eyes, rinse immediately with plenty of water until irritation subsides.

Ingestion Allow the patient to vomit on his own accord. Give copious water to drink and seek

medical help if necessary.

ENOC LUBRICANTS

Version No. 1

Revision Date
Authorisation Date 15/12/2011

Material Safety Data Sheet

Product Name ENOC KRASOUS BMS 2 GREASE

Product Code 225002

5. FIRE FIGHTING ME ASURES

Extinguishing MediaTo suit local surroundings (eg water spray, carbon dioxide foam, chemical powder).

Special Exposure Hazard Decomposition products released in a fire should be considered as probably harmful if inhaled

(see Stability and Reactivity section)

Protective Equipment Wear self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Methods for Cleaning Up Remove all sources of ignition. Take up with absorbent material, eg sand, sawdust and

dispose of as prescribed. Do not allow to get into waste water or waterways; if this occurs,

inform the relevant authority at once.

7. HANDLING & STORAGE

Advice on Safe Handling Handle in accordance with good hygiene and safety practice. Avoid prolonged temperatures

Keep away from sources of ignition -NO SMOKING!

 $> 45^{\circ}$ C and heat sources of $> 121^{\circ}$ C.

Advice on Protection against

Fire & Explosion

Storage Conditions Ensure adequate ventilation of storage area. Keep container tightly closed, cool and dry.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure ControlsMonitoring of the workplace should be considered in accordance with EH40 (or equivalent)

Controls.

LTEL (8 hour TWA): 5 mg/m³ (EH40, 1998) STEL (15 min): 10 mg/m³ (EH40, 1998)

OES data for oil mist, mineral

In addition the Reciprocal Calculation Procedure (RCP) for hydrocarbons should be

considered (EH40, 1998)

Engineering Controls Ensure adequate ventilation of working area eg Local Exhaust Ventilation.

Personal Protection Observe normal safety stand ards for handling chemicals. Avoid inhalation of vapour.

Avoid contact with skin and eyes. Wear personal protective equipment appropriate for the task eg gloves, safety goggles, respirators (eg if ventilation is inadequate), appropriate

overalls.

ENOC LUBRICANTS Version No. 1

Revision Date Authorisation Date 15/12/2011

Material Safety Data Sheet

ENOC KRASOUS BMS 2 GREASE Product Name

Product Code 225002

9. PHYSICAL & CHEMICAL PROPERTIES

Specific Gravity N/A **Auto-ignition Temperature** N/A Vapour Pressure N/A **Toxicity** N/A **Relative Density** N/A

Boiling Point From 430°C

Pour Point -205°C (ASTM D97)

Flammability Flash Point N/A pН N/A

Solubility In water: negligible

Description Smooth and Buttery texture with petroleum like odour.

10. STABILITY & REACTIVITY

Stability N/A

Thermal Decomposition Not determined

Conditions To Avoid N/A **Material To Avoid** N/A

Hazardous Reactions The product does not undergo hazardous polymerisation.

Hazardous Decomposition Oxides of carbon, aldehydes, ketones, and small amounts of hydrogen sulphide,

Products alkyl mercaptans, and sulphides. Following combustion, oxides of nitrogen, phosphorus and

sulphur will be released.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity No acute toxicological data are available.

> LD₅₀ rat (oral): N/A LD₅₀ rat (i.v.): N/A

Dermal Compatibility N/A **Mucous Membrane** N/A

Compatibility

ENOC LUBRICANTS Version No. 1

Revision Date Authorisation Date 15/12/2011

Material Safety Data Sheet

ENOC KRASOUS BMS 2 GREASE Product Name

Product Code 225002

12. ECOLOGICAL INFORMATION

Ecotoxicology Ecotoxicological data are not available.

Further Ecological Information

Further Information The product must not enter ground or waste water. If this occurs, inform the local

authority at once.

13. DISPOSAL CONSIDERATIONS

Advice on Disposal In accordance with national and local authority regulations, eg special waste or

incineration after consultation with the operators.

Contaminated Packaging Treat emptied containers in the same way as the product, or if possible wash out

thoroughly and recycle.

14. TRANSPORT INFORMATION

Transportation Measures Not determined

15. REGULATORY INFORMATION

Classification & Labelling Product is not classified in accordance with the Chemical (Hazard Information and

Packaging for Supply Regulations (CHIP 97).

Risk Phrases N/A

Safety Phrases N/A

ENOC LUBRICANTS Version No. 1

Revision Date

Authorisation Date 15/12/2011

Material Safety Data Sheet

ENOC KRASOUS BMS 2 GREASE Product Name

Product Code 225002

16. OTHER INFORMATION

Date of Issue 15/12/2011

General Summary

Alkali content (as Lithium hydroxide (LiOH)): approx. 0.033% mass.

This information is based on our present state of knowledge and is intended to describe our products from the point of view of the safety requirements. It should not be construed as guaranteeing specific properties.