



ENOC VULCAN DIESEL X-TREME

PRODUCT DESCRIPTION

ENOC VULCAN DIESEL X-TREME is a high technology **fully synthetic lubricant** for the latest model passenger cars requiring performance specification API CF/SN developed to provide maximum protection for all passenger cars, including high performance cars and cars with low emission engines. It is available as a SAE 5W-40 viscosity grades to provide maximum fuel saving and to meet long drain requirements. Compatible for all cars running on low sulphur diesel.

APPLICATIONS

- ◆ All new makes of diesel engine on Cars, SUV's, MPs and Truck's.
- ◆ High performance cars with normally aspirated and turbocharged diesel engines.
- ◆ Cars fitted with latest Diesel Particulate Filters (DPF's) to meet low emission requirements.
- ◆ New motorcycle diesel engines.
- ◆ Latest model of Japanese, American and European cars.

PERFORMANCE STANDARDS

VULCAN DIESEL X-TREME meets and exceeds the following International specifications:

API	CF/SN	Renault	RN700/RN710
ACEA	A3-04, B3-04, B4-04		
VW	502.00/505.00		
PSA	Peugeot Citroen		
OPEL	GM –LL-025		
MB	229.5		
BMW	Longlife Oil-01		

Always follow equipment manufacturer's recommendations for required lubricant performance level and oil drain intervals.

BENEFITS

VULCAN DIESEL X-TREME provides:

- ◆ The highest level of engine protection for all car engine manufacturers
- ◆ Extended engine life
- ◆ Superior resistance to oil thickening
- ◆ Excellent protection against wear
- ◆ Suitable for low emission engines
- ◆ Excellent low temperature easy starting

Technical Data*	
SAE Grade	5W- 40
Density kg/m ³	0.8472
Kinematic Viscosity mm ² /s @ 40 ^o C	88.79
Kinematic Viscosity mm ² /s @100 ^o C	14.51
Viscosity Index	170
Flash Point COC	230
Pour Point, ^o C	-39
TBN, mg of KOH/g	9.62
Product Code	200049

*The information prepared provides the typical properties that are considered as representative. Some variation which will not affect performance is possible

HEALTH AND SAFETY, ENVIRONMENT

The information on this product is available in the ENOC Material Safety Data Sheet (MSDS) as a guide to the precautions and safe handling of this product and its disposal. For further information we recommend you review the MSDS. Handled correctly there are no special precautions suggested.